

Newton's Academy

Mathematics Part - II

Time: 2 Hours

Max. Marks: 40

Note:


- i. All questions are compulsory.
- ii. Use of calculator is not allowed.
- iii. The numbers to the right of the questions indicate full marks.
- iv. In case of MCQs [Q. No. 1(A)] only the first attempt will be evaluated and will be given credit.
- v. For every MCQ, the correct alternative (A), (B), (C) or (D) with sub-question number is to be written as an answer.
- vi. Draw proper figures for answers wherever necessary.
- vii. The marks of construction should be clear. Do not erase them.
- viii. Diagram is essential for writing the proof of the theorem.

Q.1. (A) For each of the following sub-question four alternative answers are given. Choose the correct alternative and write its alphabet: [4]


1. The volume of a cube of side 10 cm is _____.
 (A) 1 cm^3 (B) 10 cm^3 (C) 100 cm^3 (D) 1000 cm^3
2. A line makes an angle of 30° with positive direction of X-axis, then the slope of the line is _____.
 (A) $\frac{1}{2}$ (B) $\frac{\sqrt{3}}{2}$ (C) $\frac{1}{\sqrt{3}}$ (D) $\sqrt{3}$
3. $\angle ACB$ is inscribed in arc ACB of a circle with centre O . If $\angle ACB = 65^\circ$, find $m(\text{arc } ACB)$:
 (A) 65° (B) 130° (C) 295° (D) 230°
4. Find the perimeter of a square if its diagonal is $10\sqrt{2}$ cm.
 (A) 10 cm (B) $40\sqrt{2}$ cm (C) 20 cm (D) 40 cm

(B) Solve the following sub-questions: [4]

1. In the following figure, $\angle ABC = \angle DCB = 90^\circ$, $AB = 6$, $DC = 8$, then $\frac{A(\triangle ABC)}{A(\triangle DCB)} = ?$



2. In the following figure, find the length of RP using the information given in $\triangle PSR$.




3. What is the distance between two parallel tangents of a circle having radius 4.5 cm?
4. Find the co-ordinates of midpoint of the segment joining the points $A(4, 6)$ and $B(-2, 2)$.

Q.2. (A) Complete the following activities and rewrite it (any two):

[4]

1.



In the above figure, circle with centre D touches the sides of $\angle ACB$ at A and B. If $\angle ACB = 52^\circ$, complete the activity to find the measure of $\angle ADB$.

Activity:

In $\square ABCD$,

$\angle CAD = \angle CBD = \square^\circ$ Tangent theorem

$\therefore \angle ACB + \angle CAD + \angle CBD + \angle ADB = \square^\circ$


$\therefore 52^\circ + 90^\circ + 90^\circ + \angle ADB = 360^\circ$

$\therefore \angle ADB + \square^\circ = 360^\circ$

$\angle ADB = 360^\circ - 232^\circ$

$\therefore \angle ADB = \square^\circ$

2.



In the above figure, side of square ABCD is 7 cm with centre D and radius DA sector D-AXC is drawn.

Complete the following activity to find the area of square ABCD and sector D-AXC.

Activity:

Area of square = \square formula
 $= (7)^2$
 $= 49 \text{ cm}^2$

Area of sector (D-AXC) = \square formula
 $= \frac{\square}{360} \times \frac{22}{7} \times \square$
 $= 38.5 \text{ cm}^2$

3. Complete the following activity to prove $\cot \theta + \tan \theta = \text{cosec } \theta \times \sec \theta$.

Activity:

L.H.S. = $\cot \theta + \tan \theta$
 $= \frac{\square}{\sin \theta} + \frac{\sin \theta}{\cos \theta}$
 $= \frac{\square}{\sin \theta \cdot \cos \theta}$


$$\begin{aligned}
 &= \frac{1}{\sin\theta \cdot \cos\theta} \quad (\because \sin^2\theta + \cos^2\theta = 1) \\
 &= \frac{1}{\sin\theta} \times \frac{1}{\cos\theta} \\
 &= \square \times \sec\theta
 \end{aligned}$$

∴ L.H.S. = R.H.S.
 ∴ $\cot\theta + \tan\theta = \operatorname{cosec}\theta \times \sec\theta$


(B) Solve the following sub-questions (Any four):

[8]


- If $\cos\theta = \frac{3}{5}$, then find $\sin\theta$.
- Find slope of line EF, where co-ordinates of E are $(-4, -2)$ and co-ordinates of F are $(6, 3)$.
-



In the above figure, ray PQ touches the circle at point Q. If $PQ = 12$, $PR = 8$, find the length of seg PS.




In the above figure, $\angle MNP = 90^\circ$, seg $NQ \perp$ seg MP . $MQ = 9$, $QP = 4$. Find NQ .



In the above figure, if $AB \parallel CD \parallel EF$, then find x and AE by using the information given in the figure.

Q.3. (A) Complete the following activities and rewrite it (any one):

[3]




In the above figure, X is any point in the interior of triangle. Point X is joined to vertices of triangle seg $PQ \parallel$ seg DE , seg $QR \parallel$ seg EF . Complete the following activity to prove seg $PR \parallel$ seg DF .

Activity :

In $\triangle XDE$, $PQ \parallel DE$ (given)
 $\therefore \frac{XP}{\square} = \frac{\square}{QE}$ (I) Basic proportionality theorem
 In $\triangle XEF$, $QR \parallel EF$ (given)
 $\therefore \frac{XQ}{QE} = \frac{\square}{RF}$ (II)
 $\therefore \frac{XP}{PD} = \frac{\square}{\square}$ from (I) and (II)
 \therefore seg $PR \parallel$ seg DF Converse of basic proportionality theorem

2.



A, B, C are any points on the circle with centre O.
 If $m(\text{arc } BC) = 110^\circ$ and $m(\text{arc } AB) = 125^\circ$, complete the following activity to find $m(\text{arc } ABC)$, $m(\text{arc } AC)$, $m(\text{arc } ACB)$ and $m(\text{arc } BAC)$.

Activity :

$$m(\text{arc } ABC) = m(\text{arc } AB) + \square$$

$$= \square^\circ + 110^\circ$$

$$= 235^\circ$$

$$m(\text{arc } AC) = 360^\circ - m(\text{arc } \square)$$

$$= 360^\circ - \square^\circ$$

$$= 125^\circ$$

Similarly

$$m(\text{arc } ACB) = 360^\circ - \square$$

$$= 235^\circ$$

and $m(\text{arc } BAC) = 360^\circ - \square$

$$= 250^\circ$$

(B) Solve the following sub-questions (any two):

- The radius of a circle is 6 cm, the area of a sector of this circle is 15π sq.cm. Find the measure of the arc and the length of the arc corresponding to that sector.
- If A(3, 5) and B(7, 9), point Q divides seg AB in the ratio 2 : 3, find the co-ordinates of point Q.
- Prove that :
 "In a right-angled triangle, the square of the hypotenuse is equal to the sum of the squares of remaining two sides."
- $\triangle PQR \sim \triangle LTR$. In $\triangle PQR$, $PQ = 4.2$ cm, $QR = 5.4$ cm, $PR = 4.8$ cm. Construct $\triangle PQR$ and $\triangle LTR$ such that $\frac{PQ}{LT} = \frac{3}{4}$.

[6]

Q.4. Solve the following sub-questions (any two):


- A bucket is in the form of a frustum of a cone. It holds 28.490 litres of water. The radii of the top and the bottom are 28 cm and 21 cm respectively. Find the height of the bucket. $\left(\pi = \frac{22}{7}\right)$

[8]

2. Draw a circle with centre P and radius 3 cm. Draw a chord MN of length 4 cm. Draw tangents to the circle through points M and N which intersect in point Q. Measure the length of seg PQ.
3. In ΔPQR , bisectors of $\angle Q$ and $\angle R$ intersect in point X. Line PX intersects side QR in point Y, then prove that: $\frac{PQ + PR}{QR} = \frac{PX}{XY}$.

Q.5. Solve the following sub-questions (Any one):

[3]

1. From top of the building, Ramesh is looking at a bicycle parked at some distance away from the building on the road.
If
AB \rightarrow Height of building is 40 m
C \rightarrow Position of bicycle
A \rightarrow Position of Ramesh on top of the building
 $\angle MAC$ is the angle of depression and $m\angle MAC = 30^\circ$, then:
 - (a) Draw a figure with the given information.
 - (b) Find the distance between building and the bicycle. ($\sqrt{3} = 1.73$).
2.  ABCD is a cyclic quadrilateral where side AB \cong side BC, $\angle ADC = 110^\circ$, AC is the diagonal, then:
 - (a) Draw the figure using given information
 - (b) Find measure of $\angle ABC$
 - (c) Find measure of $\angle BAC$
 - (d) Find measure of (arc ABC).

